RUN DATE OF REPORT: 08/14/2003 OSCAR REPORT 3 LAST FILE UPDATE: 08/13/2003 PAGE: 1

HISTORY FACILITY PROFILE

ARLINGTON HILLS CARE CENTER LL PROVIDER #: 465072 FACILITY BEDS TYPE ACTION: RECERTIFICATION 165 SOUTH 10TH EAST PHONE NUMBER: (801) 322-5521 TOTAL: 108

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

ARTHOROGON HIBES CARE CENTER 25 1.0012 PHONE NUMBER: (801) 322-5521 TOTAL: 108

SALT LAKE CITY UT 84102 PARTICIPATION DATE: 12/15/1979 CERTIFIED: 108 TYPE OWNERSHIP: FOR PROFIT - CORPORATION

STATE'S REGION CODE: 001

RESIDENT CENSUS ON 04/10/2003 LTC ADMISSION/SUSPENSION DATES TOTAL CERTIFIED BEDS: 108 ADMISSION SUSPENDED: 18 18/19 TOTAL: 57 19 TCF/MR MEDICARE: 1.0 SUSPENSION RESCINDED: MEDICAID: 42 108

CURRENT SURVEY REVISIT DATES - 06/05/2003

OTHER:

PRIOR 3 SURVEY 06/2000		PRIOR 2 SURVEY 08/2001	S/S PRIOR 1 CODE SURVEY 07/2002	S/S CODE	CURRENT SURVEY 04/10/20	S/S CODE 03	PLAN/DATE OF CORRECT	PROGRAM REQUIREMENTS
X X X	E B E		X X	D B	ХСХС	B E	06/05/2003 06/05/2003	REQ F0241-DIGNITY REQ F0242-SELF-DETERMINATION - RESIDENT MAKES CHOICES REQ F0252-SAFE/CLEAN/COMFORTABLE/HOMELIKE ENVIRONMENT REQ F0258-COMFORTABLE SOUND LEVELS REQ F0281-SERVICES PROVIDED MEET PROFESSIONAL STANDARDS REQ F0287-RESIDENT ASSESSMENT AUTOMATED DATA PROCESSING
X X	G E				ХС	Н	06/05/2003	REQ F0314-PROPER TREATMENT TO PREVENT/HEAL PRESSURE SORES REQ F0323-FACILITY IS FREE OF ACCIDENT HAZARDS REO F0325-RES MAINTAIN NUTRITIONAL STATUS UNLESS UNAVOIDABL
					X C X C	H D	06/05/2003 06/05/2003	REQ F0326-RESIDENT RECEIVES THERAPEUTIC DIET WHEN REQUIRED REQ F0328-PROPER TREATMENT/CARE FOR SPECIAL CARE NEEDS
X X	E E	X	E					REQ F0329-DRUG REGIMEN IS FREE FROM UNNECESSARY DRUGS REQ F0332-MEDICATION ERROR RATES OF 5% OR MORE REO F0333-RESIDENTS FREE FROM SIGNIFICANT MED ERRORS
44	_				X C X C	E F	06/05/2003 06/05/2003	REQ F0363-MENUS MEET NUTRIT NEEDS/PREP IN ADVANCE/FOLLOWED REQ F0364-F00D PROPERLY PREPARED, PALATABLE, ETC.
X	В		_		X C	E	06/05/2003	REQ F0366-SUBSTITUTES OFFERED OF SIMILAR NUTRITIVE VALUE REQ F0368-FREQUENCY OF MEALS/INTERVALS BETWEEN MEALS
X X	E B	X	E		X C	E	06/05/2003	REQ F0371-STORE/PREPARE/DISTRIB FOOD UNDER SANITARY CONDS REO F0465-ENVIRONMENT IS SAFE/FUNCTIONAL/SANITARY/COMFORTAB
X	E	X X	E D					REQ F0502-FACIL PROVIDES/OBTAINS LAB SERVICES REO F0514-CLINICAL RECORDS MEET PROFESSIONAL STANDARDS
X	В							REQ F0520-FACILITY MAINTAINS QA COMMITTEE

NOTE: IF A 'P' IS PRESENT NEXT TO PROVIDER NUMBER, THEN THE RECORD IS PENDING.

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED X=DEFICIENT COP = CONDITION REQ = REQUIREMENT

EDITION OF LSC APPLIED

	J. 200 III I				
85 EXIST	85 EXIST	85 EXIST	85 EXIST		
PRIOR 3	PRIOR 2	PRIOR 1	CURRENT	PLAN/DATE	
SURVEY	SURVEY	SURVEY	SURVEY	OF CORRECTION	LSC DEFICIENCIES - BLDG NO. 01
04/2000	08/2001	07/2002	04/09/2003		
		X	X C	06/04/2003	K0012-CONSTRUCTION TYPE
		X			K0018-CORRIDOR DOORS
X	X	X			K0020-STAIRWAY ENCLOSURES AND VERTICAL SHAFTS
		X			K0033-EXIT PARTITIONS
	X				K0038-EXIT ACCESS
			X C	06/04/2003	K0039-CORRIDOR WIDTH
			X C	06/04/2003	K0046-EMERGENCY LIGHTING
X	X				K0047-EXIT SIGNS
X	X	X	X P	06/04/2003	K0050-FIRE DRILLS
		X			K0051-FIRE ALARM SYSTEM
		X	X P	06/04/2003	K0052-TESTING OF FIRE ALARM
		X	X P	06/04/2003	K0054-SMOKE DETECTOR MAINTENANCE
	X				K0062-SPRINKLER SYSTEM MAINTENANCE
X	X	X			K0130-OTHER

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT COP = CONDITION REQ = REQUIREMENT

TYPE OF DEFICIENCY	CURRENT SURVEY	PRIOR 1 SURVEY	PRIOR 2 SURVEY	PRIOR 3 SURVEY
CONDITION	0	0	0	0
REQUIREMENT	9	2	4	12
HEALTH TOTAL	9	2	4	12
LIFE SAFETY CODE	6	9	6	4
LIFE SAFETY CODE + HEALTH	15	11	10	16

COMPLAINT SURVEY INFORMATION

SURVEY DATE STATUS
----04/11/2002 UNSUBSTANTIATED

08/06/2002 UNSUBSTANTIATED 01/14/2003 SUBSTANTIATED 04/10/2003 SUBSTANTIATED

FMS SURVEY INFORMATION

SURVEY DATE TYPE OF SURVEY
-----07/11/2002 COMPARATIVE